

WHAT IS CLAIMED IS:

Sub
A1 }

1. A method for generating an interface to elements in a document, wherein the document defines a relationship of the elements and at least one attribute for each element, comprising generating a class implementing methods for at least one element from information provided on elements in the document and a mapping indicating at least one element in the document to map to a class, wherein the at least one indicated element in the document for which the class is generated can be accessed and affected by the methods implemented in the class.
2. The method of claim 1, wherein the mapping includes a class name for each indicated element.
3. The method of claim 1, wherein the mapping indicates a data type for at least one attribute of the indicated element.
4. The method of claim 1, wherein the relationship of the elements in the document are arranged in a hierarchical relationship, and wherein the methods in the at least one class generated for the element allow a user to directly access and affect the element.
5. The method of claim 4, further comprising accessing the at least one element in the document indicated in the mapping using a hierarchical application program interface (API), wherein one class is generated for each accessed element.
6. The method of claim 1, wherein the mapping indicates an interface to generate for the class, wherein the interface defines methods to access the element for which the class is generated.

1 7. The method of claim 6, wherein the methods implemented in the class
2 include at least one method that is a member of the set of methods comprising: adding
3 an instance of the element, inserting an instance of the element at a location in the
4 document with respect to other instances of the element in the document, and
5 removing an instance of the element from the document.

1 8. The method of claim 1, further comprising defining extended attributes
2 of at least one element and instantiating the class for the at least one indicated element
3 from the defined extended attributes.

1 9. The method of claim 8, wherein the defined extended attributes define
2 further methods for the class.

1 10. The method of claim 7, further comprising serializing defined
2 extended attributes into memory, wherein the defined extended attributes are capable
3 of being deserialized from the memory to instantiate the at least one element class to
4 implement the defined extended attributes.

1 11. A system for generating an interface to elements in a document,
2 comprising:
3 a memory including:
4 (i) the document, wherein the document defines a relationship of the
5 elements and at least one attribute for each element; and
6 (ii) a mapping indicating at least one element in the document to map
7 to a class;
8 means for generating a class implementing methods for at least one element
9 from information provided on elements in the document and the mapping, wherein

10 the at least one indicated element in the document for which the class is generated can
11 be accessed and affected by the methods implemented in the class.

1 12. The system of claim 11, wherein the mapping includes a class name
2 for each indicated element.

1 13. The system of claim 11, wherein the mapping indicates a data type for
2 at least one attribute of the indicated element.

1 14. The system of claim 11, wherein the relationship of the elements in the
2 document are arranged in a hierarchical relationship, and wherein the methods in the
3 at least one class generated for the element allow a user to directly access and affect
4 the element.

1 15. The system of claim 14, further comprising means for accessing the at
2 least one element in the document indicated in the mapping using a hierarchical
3 application program interface (API), wherein one class is generated for each accessed
4 element.

1 16. The system of claim 11, wherein the mapping indicates an interface to
2 generate for the class, and wherein the interface defines methods to access the element
3 for which the class is generated.

1 17. The system of claim 16, wherein the methods implemented in the class
2 include at least one method that is a member of the set of methods comprising: adding
3 an instance of the element, inserting an instance of the element at a location in the
4 document with respect to other instances of the element in the document, and
5 removing an instance of the element from the document.

1 18. The system of claim 11, further comprising:
2 means for defining extended attributes of at least one element; and
3 means for instantiating the class for the at least one indicated element from the
4 defined extended attributes.

1 19. The system of claim 18, wherein the defined extended attributes define
2 further methods for the class.

1 20. The system of claim 17, further comprising means for serializing
2 defined extended attributes into memory, wherein the defined extended attributes are
3 capable of being deserialized from the memory to instantiate the at least one element
4 class to implement the defined extended attributes.

1 21. An article of manufacture for use in generating an interface to elements
2 in a document, wherein the document defines a relationship of the elements and at
3 least one attribute for each element, the article of manufacture comprising computer
4 readable storage media including at least one computer program embedded therein
5 that is capable of causing a processor to perform:
6 generating a class implementing methods for at least one element from
7 information provided on elements in the document and a mapping indicating at least
8 one element in the document to map to a class, wherein the at least one indicated
9 element in the document for which the class is generated can be accessed and affected
10 by the methods implemented in the class.

1 22. The article of manufacture of claim 21, wherein the mapping includes
2 a class name for each indicated element.

1 23. The article of manufacture of claim 21, wherein the mapping indicates
2 a data type for at least one attribute of the indicated element.

1 24. The article of manufacture of claim 21, wherein the relationship of the
2 elements in the document are arranged in a hierarchical relationship, and wherein the
3 methods in the at least one class generated for the element allow a user to directly
4 access and affect the element.

1 25. The article of manufacture of claim 24, further comprising accessing
2 the at least one element in the document indicated in the mapping using a hierarchical
3 application program interface (API), wherein one class is generated for each accessed
4 element.

1 26. The article of manufacture of claim 21, wherein the mapping indicates
2 an interface to generate for the class, wherein the interface defines methods to access
3 the element for which the class is generated.

1 27. The article of manufacture of claim 26, wherein the methods
2 implemented in the class include at least one method that is a member of the set of
3 methods comprising: adding an instance of the element, inserting an instance of the
4 element at a location in the document with respect to other instances of the element in
5 the document, and removing an instance of the element from the document.

1 28. The article of manufacture of claim 21, further comprising defining
2 extended attributes of at least one element and instantiating the class for the at least
3 one indicated element from the defined extended attributes.

0544023 11393

1 29. The article of manufacture of claim 28, wherein the defined extended
2 attributes define further methods for the class.

1 30. The article of manufacture of claim 27, further comprising serializing
2 defined extended attributes into memory, wherein the defined extended attributes are
3 capable of being deserialized from the memory to instantiate the at least one element
4 class to implement the defined extended attributes.

0054.0010 ST9-99-044 EL399539202US